

**Listing of Claims:**

1-22 (canceled).

23. (previously presented) A method for deploying new multimedia receivers comprising:

encrypting channels using both conditional access ("CA") encryption and a different form of encryption; and

simulcasting said channels encrypted in both CA encryption and said different form of encryption to subscribers having either a new multimedia receiver or a legacy multimedia receiver;

said channels encrypted using said different form of encryption being decryptable by said new multimedia receivers and said channels encrypted using said CA encryption being decryptable by said legacy multimedia receivers.

24. (original) The method as in claim 23 further comprising:

transmitting a specified group of channels using no encryption.

25. (original) The method as in claim 23 wherein said specified group of channels are basic cable channels and said channels being simulcast are premium channels.

26. (original) The method as in claim 25 further comprising:

encrypting a portion of said specified group of channels using both CA encryption and a different form of encryption; and

simulcasting said portion encrypted using CA encryption and said portion encrypted using said different form of encryption.

27. (original) The method as in claim 26 wherein said different form of encryption is digital video broadcast ("DVB") encryption.

28. (original) The method as in claim 26 further comprising:  
regularly modifying channels included within said portion.

29. (currently amended) An machine-readable medium having program code stored thereon which, when executed by a processor, cause said processor to perform the operations of:

encrypting a first group of multimedia channels using conditional access ("CA")  
~~a first type of encryption~~ to produce a first group of encrypted multimedia channels;  
encrypting said first group of multimedia channels using a different second  
type of encryption to produce a second group of encrypted multimedia channels;  
~~simulcasting concurrently transmitting~~ said first group of encrypted multimedia  
channels with said second group of encrypted multimedia channels to a plurality of  
multimedia subscribers having either a new multimedia receiver or a legacy  
multimedia receiver, said second group of encrypted multimedia channels being  
decryptable by said new multimedia receivers and said first group of encrypted  
multimedia channels being decryptable by said legacy multimedia receivers

~~multimedia receivers capable of decrypting said first group of encrypted multimedia channels and/or said second group of multimedia channels.~~

30. (canceled).

31. (currently amended) The machine-readable medium as in claim 30 wherein said different ~~second~~ type of encryption is digital video broadcast ("DVB") encryption.

32. (original) The machine-readable medium as in claim 29 wherein said first group of multimedia channels are subscription based channels.

33. (original) The machine-readable medium as in claim 29 having program code stored thereon to cause said processor to perform the additional operations of:

compressing said first group of encrypted multimedia channels using a first compression type and said second group of encrypted multimedia channels using a second compression type.

34. (original) The machine-readable medium as in claim 33 wherein said first compression type is MPEG-2.

35. (original) The machine-readable medium as in claim 34 wherein said second compression type is MPEG-4.

36. (previously presented) The machine-readable medium as in claim 29 having program code stored thereon to cause said processor to perform the additional operations of:

transmitting a second group of multimedia channels in an unencrypted format.

37. (original) The machine-readable medium as in claim 36 wherein said second group of multimedia channels are basic cable channels and said first group of multimedia channels are subscription-based cable channels.

38. (currently amended) The machine-readable medium as in claim 37 having program code stored thereon to cause said processor to perform the additional operations of:

encrypting a first subset of said basic cable channels using said first type of encryption to produce a first group of encrypted basic cable channels;

encrypting said first subset of said basic cable channels using said different second type of encryption to produce a second group of encrypted basic cable channels; and

concurrently transmitting said first group of encrypted basic cable channels with said second group of encrypted basic cable channels to said plurality of multimedia subscribers.

39. (original) The machine-readable medium as in claim 38 having program code stored thereon to cause said processor to perform the additional operations of:

transmitting a second subset of said basic cable channels in an unencrypted format.

40. (original) The machine-readable medium as in claim 39 having program code stored thereon to cause said processor to perform the additional operations of:

regularly transferring channels from said first subset of basic cable channels to said second subset of basic cable channels and channels from said second subset of basic cable to said first subset of basic cable channels.

41. (currently amended) A headend system for processing multimedia streams comprising:

a first encryption module to encrypt a first plurality of multimedia streams using conditional access ("CA") a first type of encryption; and

a second encryption module to encrypt said first plurality of multimedia streams using a different second type of encryption; and

a quadrature amplitude modulation module to modulate said first plurality of multimedia streams encrypted in both CA encryption and said different type of encryption and a second plurality of unencrypted multimedia streams for simulcasting transmission to a plurality of multimedia subscribers having either a new multimedia receiver[[s]] or a legacy multimedia receiver, each new multimedia receiver being capable of decrypting said first plurality of multimedia channels encrypted using either said first type of encryption or said second in said different type of encryption and each legacy multimedia receiver being capable of decrypting said first plurality of multimedia channels encrypted in said CA encryption.

42. (canceled).

43. (currently amended) The headend system as in claim 42 wherein said different second type of encryption is digital video broadcast ("DVB") encryption.

44. (original) The headend system as in claim 42 wherein said first plurality of multimedia streams are premium cable channels.

45. (original) The headend system as in claim 42 further comprising:  
a first compression module to employ a first type of compression on said first plurality of multimedia streams encrypted using said first compression type; and  
a second compression module to employ a second type of compression on said first plurality of multimedia streams encrypted using said second compression type.

Claims 46-55 (canceled).

56. (new) A computer-implemented method for processing multimedia channels comprising:

encrypting a number of multimedia channels at a headend using conditional access ("CA") ~~a first type of encryption~~ to produce a first group of encrypted multimedia channels;

simultaneously encrypting the same multimedia channels at the headend using a different ~~second~~ type of encryption to produce a second group of encrypted multimedia channels;

simulcasting ~~concurrently transmitting~~ said first group of encrypted multimedia channels with said second group of multimedia channels from the headend to a plurality of multimedia subscribers each having either a new multimedia receiver[[s]] or a legacy multimedia receiver, each new multimedia receiver being capable of decrypting said first group of encrypted multimedia channels and[[/or]] and each legacy multimedia receiver being capable of decrypting said second group of multimedia channels.

57. (new) A system comprising:

means for encrypting channels using both conditional access ("CA") encryption and a different form of encryption; and

means for simulcasting said channels encrypted in both CA encryption and said different form of encryption to subscribers having either a new multimedia receiver or a legacy multimedia receiver, said channels encrypted using said different form of encryption being decryptable by said new multimedia receivers and said channels encrypted using said CA encryption being decryptable by said legacy multimedia receivers.

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**